Attorney Docket No. 24191.00

Confirmation No. 4690

IN THE SPECIFICATION

Application No.: 10/797,049

Art Unit: 2875

Please replace the paragraph beginning at page 7, line 6, with the following amended paragraph:

-- Note that the electrical cord 70 becomes conduit 74 once it is run up inside the core stem 20 to

the plurality of coconut lights 60 of the first embodiment of the portable palm tree in a planter 10. The

proximal end 22 of the core stem 20 is placed into the flange 52 of the base 50 and is secured with a metal

drive bolt 80 and a Cotter cotter pin 82. The base 50 and the entire planter box 30 can also be anchored

down and attached to the ground surface using 4 base corner anchors 90 disposed at each corner of the

base 50. An aperture 73 is also provided in one of the sides of the planter box 30 to accommodate an

electrical cord 70 running outside of the planter box 30.--

Please replace the paragraph beginning at page 8, line 4, with the following amended paragraph:

-- Fig. 4A illustrates how the plurality of sheet metal leaves 40 are attached to the distal end 24 of

the core stem 20. The Each of the plurality of sheet metal leaves 40 are is attached to the distal end 24 of

the core stem 20 with an anchor bolt 120, a barrel nut 122 and epoxy adhesive 124. There are 9-12

leaves in the plurality of sheet metal leaves 40 for the portable palm tree in a planter 10. The plurality of

sheet metal leaves 40 are made of galvanized sheet metal and bronze welds (not shown) and are also

treated with a red oxide metal primer. They are accompanied by a plurality of dead fronds 130 and a

plurality of plastic leaves 134 that are also attached to the distal end 24 of the core stem 20 using a strip

LINGTON, VA 22215 (703) 486-1000

2

Application No.: 10/797,049

Art Unit: 28.75

Attorney Docket No. 24191.00 Confirmation No. 4690

of sheet metal and brads 132 that can hide the anchor bolts 120, the barrel nuts 122 and epoxy adhesive

124.--

Please replace the paragraph beginning at page 9, line 12, with the following amended paragraph:

--Use and assembly of the portable palm tree in a planter 10 is straightforward. There are 9-12

palm leaves in the plurality of leaves 40 that are made of galvanized sheet metal, while there are several

dead fronds 130 and a plurality of plastic leaves 134 made from plastic and unwound nylon rope. The

proximal end 22 of the core stem 20 can be slid into the flange 52, which is welded to the steel base plate

50, and can be further secured with a metal drive bolt 80 and Cotter cotter pin 82. The base plate 50 is

also provided with an aperture 92 in each corner of the base plate 50 that can accommodate a base corner

anchor 90 that anchors the planter box 30 to the ground.--

Please replace the paragraph beginning at page 10, line 1, with the following amended paragraph:

-- The first embodiment of the portable palm tree in a planter 10 has a core stem 20 that has conduit

74 from the electric cord 70 to the distal end 24 of the core stem 20. This arrangement provides electricity

to the plurality of artificial coconut lights 60 placed with the plurality of sheet metal leaves 40 and the

plurality of dead fronds 130 and the plurality of plastic leaves 134 at the distal end 24 of the core stem 20.

The first embodiment of the portable palm tree in a planter 10 has the plurality of artificial coconut lights

60 disposed on the distal end 24 of the core stem 20 to provide light for the portable palm tree in a planter

OFFICES, LTD.
P.O. BOX 15035
ARLINGTON, VA 22215
(703) 486-1000

3

Application No.: 10/797,049
Art Unit: 2875
Attorney Docket No. 24191.00
Confirmation No. 4690

10. There is also a second embodiment of the portable palm tree in a planter 150 where a plurality of artificial coconut lights 60 are placed on top of the planter box 30 adjacent to the core stem 20. The second embodiment of the portable palm tree in a planter 150 is otherwise the same as the first embodiment of the portable palm tree in a planter 10 except for the placement of the plurality of artificial coconut lights 60.--

Please replace the paragraph beginning at page 10, line 19, with the following amended paragraph:

--Both embodiments of the portable palm tree in a planter 10,150 10 can be used inside or outside and the planter box 30 can also be used to hold beverages. Both embodiments of the portable palm tree in a planter 10,150 10 are weather resistant, durable and maintenance free. Both embodiments of the portable palm tree in a planter 10,150 10 also weigh approximately 80 pounds each.--

LITMAN LAW
OFFICES, LTD.
P.O. BOX 15035
ARLINGTON, VA 22215
(703) 486-1000